# Volume 5 Indexes

## Subject Index


Acorn woodpecker, hoarding by, 202–205
Acoustic communication
  female choice in, 293–303
  *See also* Calling behavior
*Actitis macularia. See* Polyandrous spotted sandpipers
African lions, non-offspring nursing in, 362–374
Age, role in mate acquisition, 9–16
Alloparents, in Mongolian gerbil, 273–279
*Ambloplites rupestris. See* Rock bass
*Ambystoma tigrinum nebulosum. See* Arizona tiger salamanders
Amphibians, environmental physiology of, 234–235
Antipredator behavior, 159–170
*Apis mellifera. See* Honeybees
*Araneus diadematus. See* Spiders
Arizona tiger salamanders, kin recognition and cannibalism in, 225–232
Asset-protection principle, 159–170
Attack abatement mechanisms, 326–333

Barn swallows, sexual ornaments of, 188–194
Bighorn sheep, early weaning in, 21–27
Black-capped chickadees, cache sites of, 44–50
Black grouse, tail-ornament damage and mating success, 182–187
Blue banded goby, 304–313
Breeding
  alloparents in Mongolian gerbil, 273–279
  and dwarf mongooses' fitness, 339–348
  ectoparasite effect on, 130–134
  effects on extrapair paternity, 123–129, 390–391
  of kin by European bee-eater, 105–113
  offspring retention in Siberian jay, 245–253
  prolonged brood care hypothesis, 245–253
  *See also* Cooperative breeding; Outbreeding
Brood guarding fish, parental care in, 195–201
Brood size, in convict cichlids, 443–444
Bush crickets
  courtship role reversal in, 259–266
  nuptial gifts in, 418–425

Caching
  in black-capped chickadees, 44–50
  in Carolina chickadees, 171–181
Calling behavior
  of gray tree frog, 318–325
  seasonal variation in, 321–323
  within-night variation in, 320–322
  *See also* Acoustic communication
Cannibalism, in polyphenic salamanders, 225–232
Carolina chickadees, cache and body mass regulation, 171–181
*Carpodacus mexicanus. See* House finches
*Centropyge potteri. See* Pomacanthid angelfish
*Cichlasoma nigrofasciatum. See* Convict cichlids
Clutch size, 405–406, 412–417
Colonial web-building spiders, group size and predation risk in, 326–333
Coloration
  male house finch plumage, 64–73
  three-spined stickleback, 74–80
Conservation biology, 351–352
Convict cichlids, mate desertion in, 439–447
Cooperative breeding
  alloparents and, 273–279
  offspring retention and, 245–253
Copulation behavior, by fly, 51–56
Courtship role reversal, in bush crickets, 259–266
*Crocuta crocuta. See* Spotted hyenas
Cultural transmission, 35–43

Deer mice, reproductive success of, 206–209
Developmental mortality, 401–411
Diet selection, in juncos, 334–337
Dispersal
  and dwarf mongooses' fitness, 339–348
  of kin by European bee-eater, 105–113
  mortality risks associated with, 135–141
Diversionary displays, of three-spined stickleback, 114–120
DNA fingerprinting, 384–386
Dominance, in juncos, 334–338
*Dryomyza anilis. See* Fly
Dwarf mongooses, inclusive fitness and reproductive strategies in, 339–348

Eastern chipmunks
  patch choice decisions of, 237–244
  scatter hoards of, 353–361
Ectoparasite, effect on breeding, 130–134
Egg defense, of female parent bug, 314–317
*Elasmucha grisea. See* Parent bug
Encounter rate, in territorial-haremic fishes, 376–377
Eurasian badger, group living of, 151–158
European bee-eater, kin recognition in, 105–113
Experience, role in mate acquisition, 9–16
Extrapair paternity
  in hooded warblers, 384–392

in superb fairy-wrens, 396–398
in tree swallows, 123–129

Female choice
in acoustic communication, 293–303
in house finches, 64–73
sex allocation and, 307, 309
symmetrical male sexual ornaments, 188–194
in three-spined stickleback, 74–80
*See also* Mate choice
Fertilization, fly, 51–56
Fitness
in dwarf mongooses, 339–348
intergenerational, 412–417
mortality and, 405–406
Flight speeds, of migrating birds, 1–8
Flour beetles, sexual selection in, 219–224
Fly, repeated copulations by, 51–56
Foraging
antipredator behavior, 159–170
Eurasian badger group living, 151–158
interference competition in central place, 237–244
Inujjuamiut strategies, 233–234
rhythmical timing and spatial scattering of, 288–292
social, 35–43
starlings exploiting patches, 81–90
strategy efficiency, 28–34

*Gallinago media. See* Great snipe
Game-theoretic modelling, 349
*Gasterosteus aculeatus. See* Three-spined stickleback
*Gerris lacustris. See* Water striders
Goby
sex allocation in, 304–313
sex change in, 434–438
Gray tree frog, calling behavior of, 318–325
Great snipe, lek mating, 210–218
Great tit, ectoparasite effect on breeding, 130–134
Ground squirrels, 142–150
Group living, Eurasian badger, 151–158
Group size, in colonial web-building spiders, 326–333

Hatching, ectoparasite effect, 130–134
*Helogale parvula. See* Dwarf mongooses
*Hirundo rustica. See* Barn swallows
Hoarding
by acorn woodpecker, 202–205
by eastern chipmunks, 353–361
Homer limpet, 288–292
Honeybees, colony defense of, 91–97
Hooded warblers, extrapair paternity in, 384–392
House finches, female choice, 64–73
House wrens, mate sharing by females, 98–104
*Hyla versicolor. See* Gray tree frog

Inbreeding, natural history of, 350–351
Inclusive fitness, in dwarf mongooses, 339–348
Interference competition, in central place foragers, 237–244
Intrasexual competition, among female starlings, 57–63
Inujjuamiut foraging strategies, 233–234

*Junco hyemalis. See* Juncos
Juncos, dominance and diet selection in, 334–338

Katydids, mate feeding, offspring investment, and sexual differences in, 267–272
Kin recognition
and cannibalism in polyphenic salamanders, 225–232
in European bee-eater, 105–113

Land invertebrate behavior, 460–461
Learning, social, 35–43
Lek mating, in great snipe, 210–218
Limpet, 288–292
Local mate competition, 401–411
*Lythrypnus dalli. See* Goby

Male attractiveness, and sperm precedence, 219–224
Male thirteen-lined ground squirrels, mate quitting rules for, 142–150
*Malurus cyaneus. See* Superb fairy-wrens
Mate acquisition, in polyandrous spotted sandpipers, 9–16
Mate choice
by male water striders, 17–20
operational sex ratio influences, 254–258
*See also* Female choice
Mate desertion, in convict cichlids, 439–447
Mate feeding, in katydids, 267–272
Mate quitting, rules for male thirteen-lined ground squirrels, 142–150
Mate sharing, by female house wrens, 98–104
Mating success
effects of tail-ornament damage on, 182–187
in lekking great snipe, 210–218
*See also* Reproductive success
Mating systems
of hooded warblers, 384–392
of starlings, 57–63
*Melanerpes formicivorus. See* Acorn woodpecker
*Meles meles. See* Eurasian badger
*Meriones unguiculatus. See* Mongolian gerbil
*Merops apiaster. See* European bee-eater
*Metepeira incrassata. See* Colonial web-building spiders
Migration, flight speeds, 1–8
Molting, in superb fairy-wrens, 393–400
Mongolian gerbil, alloparents in, 273–279
Mortality
developmental, 401–411
in goby, 435
risks associated with dispersal, 135–141

Natal philopatry, in passerine birds, 426–433
Natural history, of inbreeding and outbreeding, 350–351
Nest desertion, ectoparasite effect, 130–134
Nursing, lions and hyenas, 362–374

Offspring
investment, in katydids, 267–272
performance, 412–417
retention, in Siberian jay, 245–253
sex-biased provisioning, 455–459
Operational sex ratio, in pipefish, 254–258
Orb web, 280–287
simulations as filter, 283–284
thread placement efficiency, 284–285
Outbreeding, natural history of, 350–351
*Ovis canadensis. See* Bighorn sheep

*Panthera leo*. *See* African lions
*Paragobiodon echinocephalus*. *See* Goby
Parasites, and courtship role reversal in bush crickets, 259–266
Parasitoid wasp, sex ratio manipulation in, 448–454
Parental care
in barn swallows, 188–194
in brood guarding fish, 195–201
Parent bug, egg defense of female, 314–317
*Parus atricapillus*. *See* Black-capped chickadees
*Parus carolinensis*. *See* Carolina chickadees
*Parus major*. *See* Great tit
Passerine birds, natal philopatry in, 426–433
Patch choice, decisions of eastern chipmunks, 237–244
*Patella rustica*. *See* Limpet
*Perisoreus infaustus*. *See* Siberian jay
*Peromyscus leucopus*. *See* White-footed mice
*Peromyscus maniculatus*. *See* Deer mice
Peter's segment rule, 285–286
Philopatry, natal, in passerine birds, 426–433
Pipefish, operational sex ratio in, 254–258
Plumage
of hooded warblers, 385, 388
of male house finch, 64–73
Polyandrous spotted sandpipers, mate acquisition in, 9–16
Polyphenic salamanders, kin recognition and cannibalism in, 225–232
Pomacanthid angelfish, sex change in, 375–383
Predation risk, in colonial web-building spiders, 326–333
Prolonged brood care hypothesis, 245–253
Provisioning, in western bluebirds, 455–459

Reproductive strategies, in dwarf mongooses, 339–348
Reproductive success
of white-footed mice and deer mice, 206–209
*See also* Mating success
*Requena verticalis*. *See* Bush crickets; Katydids
Rock bass, male parental care in, 195–201

Scatter hoards, of eastern chipmunks, 353–361
Sex allocation
developmental mortality and, 401–411
in simultaneous hermaphrodite, 304–313
Sex change
in coral goby, 434–438
in territorial-haremic fishes, 375–383
Sex ratio
manipulation in parasitoid wasp, 448–454
manipulation in western bluebirds, 456–457
operational, in pipefish, 254–258
Sexual differences, in katydids, 267–272
Sexual selection
in flour beetles, 219–224
in house finches, 64–73
in superb fairy-wrens, 393–400
symmetrical male ornaments, 188–194
*Sialia mexicana*. *See* Western bluebirds
Siberian jay, offspring retention in, 245–253
Simultaneous hermaphrodite, sex allocation in, 304–313
Social foraging, 35–43
*Spalangia cameroni*. *See* Parasitoid wasp
Spermatophores, 418–425
*Spermophilus tridecemlineatus*. *See* Male thirteen-lined ground squirrels
Sperm precedence, and male attractiveness, 219–224
Spiders
colonial web-building, 326–333
orb web features of, 280–287
Spotted hyenas, non-offspring nursing in, 362–374
Squirrels. *See* Ground squirrels
Starlings
exploiting patches, 81–90
intrasexual competition among females, 57–63
*Sturnus vulgaris*. *See* Starlings
Superb fairy-wrens, sexual selection in, 393–400
*Syngnathus typhle*. *See* Pipefish

*Tachycineta bicolor*. *See* Tree swallows
Tail-ornaments
effects of damage on mating success, 182–187
in male barn swallows, 188–194
*Tamias striatus*. *See* Eastern chipmunks
Territorial-haremic fishes, sex change in, 375–383
*Tetrao tetrix*. *See* Black grouse
Thirteen-lined ground squirrels, mate quitting rules for males, 142–150
Three-spined stickleback
diversionary displays of, 114–121
female choice in, 74–80
Tree swallows, extrapair paternity in, 123–129
*Tribolium castaneum*. *See* Flour beetles
*Troglodytes aedon*. *See* House wrens

Water striders, mate choice by male, 17–20
Weaning, in bighorn sheep, 21–27
Western bluebirds
provisioning in, 455–459
sex ratio manipulation in, 456–457
White-footed mice, reproductive success of, 206–209
*Wilsonia citrina*. *See* Hooded warblers
Wing morph preference, water striders, 17–20

## Author/Title Index

Adler FR. *See* Mangel M
Alatalo RV. *See* Höglund J
Alberico JAR. *See* Oring LW
ap Rhisiart A, Vollrath F: Design features of the orb web of the spider, *Araneus diadematus*, 280–287
Austad SN. *See* Lewis SM
Avery MI. *See* Lessells CM

Bakker TCM, Mundwiler B: Female mate choice and male red coloration in a natural three-spined stickleback (*Gasterosteus aculeatus*) population, 74–80
Batorczak A, Jabłoński P, Rowiński A: Mate choice by male water striders (*Gerris lacustris*): expression of a wing morph preference depends on a size difference between females, 17–20
Beauchamp G. *See* Ydenberg RC

Berger J: Review of *Essentials of conservation biology*, by RB Primack, 351–352
Berglund A: The operational sex ratio influences choosiness in a pipefish, 254–258
Boag PT. *See* Dunn PO
Brown WD. *See* Gwynne DT

Caraco T. *See* Giraldeau L-A
Carroll SP: Review of *The encyclopedia of land invertebrate behavior*, by R Preston-Mafham and K Preston-Mafham, 460–461
Charlesworth D: Review of *The natural history of inbreeding and outbreeding: theoretical and empirical perspectives*, edited by N Wilmsen Thornhill, 350–351
Chelazzi G, Della Santina P, Santini G: Rhythmical timing and spatial scattering of foraging in a homer limpet (*Patella rustica*), 288–292
Christe P. *See* Oppliger A
Clark CW: Antipredator behavior and the asset-protection principle, 159–170
Clarke MF, Kramer DL: The placement, recovery, and loss of scatter hoards by eastern chipmunks, *Tamias striatus*, 353–361
Collins JP. *See* Pfennig DW
Creel SR (*see also* Waser PM), Waser PM: Inclusive fitness and reproductive strategies in dwarf mongooses, 339–348
Cuthill IC, Haccou P, Kacelnik A: Starlings (*Sturnus vulgaris*) exploiting patches: response to long-term changes in travel time, 81–90

da Silva J, Macdonald DW, Evans PGH: Net costs of group living in a solitary forager, the Eurasian badger (*Meles meles*), 151–158
Della Santina P. *See* Chelazzi G
Dickinson JL. *See* Leonard ML
Dunn PO, Whittingham LA, Lifjeld JT, Robertson RJ, Boag, PT: Effects of breeding density, synchrony, and experience on extrapair paternity in tree swallows, 123–129

Ekman J, Sklepkovych B, Tegelström H: Offspring retention in the Siberian jay (*Perisoreus infaustus*): the prolonged brood care hypothesis, 245–253
Evans PGH. *See* da Silva J

Festa-Bianchet M, Jorgenson JT, Wishart WD: Early weaning in bighorn sheep, *Ovis canadensis*, affects growth of males but not of females, 21–27
Fiske P, Kålås JA, Sæther SA: Correlates of male mating success in the lekking great snipe (*Gallinago media*): results from a four-year study, 210–218
Forbes MRL. *See* Weatherhead PJ
Forrest TG, Raspet R: Models of female choice in acoustic communication, 293–303
Foster SA: Inference of evolutionary pattern: diversionary displays of three-spined sticklebacks, 114–121
French JA: Alloparents in the Mongolian gerbil: impact on long-term reproductive performance of breeders and opportunities for independent reproduction, 273–279

Giraldeau L-A (*see also* Lair H), Caraco T, Valone TJ: Social foraging: individual learning and cultural transmission of innovations, 35–43
Green DM: Review of *Environmental physiology of the amphibians*, edited by ME Feder and WW Burggren, 234–235
Guzmán-Novoa E, Page RE Jr: Genetic dominance and worker interactions affect honeybee colony defense, 91–97
Gwynne DT, Brown WD: Mate feeding, offspring investment, and sexual differences in katydids (Orthoptera: Tettigoniidae), 267–272

Haccou P. *See* Cuthill IC
Hampton RR, Sherry DF: The effects of cache loss on choice of cache sites in black-capped chickadees, 44–50
Hardy ICW. *See* Nagelkerke CJ
Hieber CS. *See* Uetz GW
Hill GE: Geographic variation in male ornamentation and female mate preference in the house finch: a comparative test of models of sexual selection, 64–73
Hitchcock CL, Houston AI: The value of a hoard: not just energy, 202–205
Höglund J, Alatalo RV, Lundberg A, Rätti O: Context-dependent effects of tail-ornament damage on mating success in black grouse, 182–187
Horn AG. *See* Leonard ML
Houston AI. *See* Hitchcock CL

Jabłoński P. *See* Batorczak A
Johnson LS, Kermott LH, Lein MR: Territorial polygyny in house wrens: are females sufficiently compensated for the cost of mate sharing?, 98–104
Jorgenson JT. *See* Festa-Bianchet M

Kacelnik A. *See* Cuthill IC
Kaitala A. *See* Mappes J
Kålås JA. *See* Fiske P
Kermott LH. *See* Johnson LS
King BH, King RB: Sex ratio manipulation in response to host size in the parasitoid wasp *Spalangia cameroni*: is it adaptive?, 448–454
King RB. *See* King BH
Koenig WD. *See* Leonard ML
Kramer DL. *See* Clarke MF; Lair H
Krebs JR. *See* Lessells CM
Kuwamura T, Nakashima Y, Yogo Y: Sex change in either direction by growth-rate advantage in the monogamous coral goby, *Paragobiodon echinocephalus*, 434–438

Lair H, Kramer DL, Giraldeau L-A: Interference competition in central place foragers: the effect of imposed waiting on patch-use decisions of eastern chipmunks, *Tamias striatus*, 237–244
Lance SL. *See* Runkle LS
Langen TA, Rabenold KN: Dominance and diet selection in juncos, 334–338
Lein MR. *See* Johnson LS
Leonard ML, Teather KL, Horn AG, Koenig WD, Dickinson JL: Provisioning in western bluebirds is not related to offspring sex, 455–459

Lessells CM, Avery MI, Krebs JR: Nonrandom dispersal of kin: why do European bee-eater (*Merops apiaster*) brothers nest close together?, 105–113
Lewis SM, Austad SN: Sexual selection in flour beetles: the relationship between sperm precedence and male olfactory attractiveness, 219–224
Lifjeld JT. *See* Dunn PO
Lucas JR (*see also* Waser PM): Regulation of cache stores and body mass in Carolina chickadees (*Parus carolinensis*), 171–181
Lundberg A. *See* Höglund J
Lutnesky MMF: Density-dependent protogynous sex change in territorial-haremic fishes: models and evidence, 375–383

Macdonald DW. *See* da Silva J
Magrath MJL. *See* Mulder RA
Mangel M, Rosenheim JA, Adler FR: Clutch size, offspring performance, and intergenerational fitness, 412–417
Mappes J, Kaitala A: Experiments with *Elasmucha grisea* L. (Heteroptera: Acanthosomatidae): does a female parent bug lay as many eggs as she can defend?, 314–317
Møller AP: Symmetrical male sexual ornaments, paternal care, and offspring quality, 188–194
Montgomerie R: Review of *Inujjuamint foraging strategies: evolutionary ecology of an arctic hunting community,* by EA Smith, 233–234
Morton ES. *See* Stutchbury BJ
Mulder RA, Magrath MJL: Timing of prenuptial molt as a sexually selected indicator of male quality in superb fairy-wrens (*Malurus cyaneus*), 393–400
Mundwiler B. *See* Bakker TCM

Nagelkerke CJ, Hardy ICW: The influence of developmental mortality on optimal sex allocation under local mate competition, 401–411
Nakashima Y. *See* Kuwamura T

Oppliger A, Richner H, Christe P: Effect of an ectoparasite on lay date, nest-site choice, desertion, and hatching success in the great tit (*Parus major*), 130–134
Oring LW, Reed JM, Alberico JAR: Mate acquisition tactics in polyandrous spotted sandpipers (*Actitis macularia*): the role of age and experience, 9–16
Otronen M: Repeated copulations as a strategy to maximize fertilization in the fly, *Dryomyza anilis* (Dryomyzidae), 51–56
Ottosson U. *See* Smith HG

Packer C. *See* Pusey AE
Page RE Jr. *See* Guzmán-Novoa E
Parker GA. *See* Schwagmeyer PL
Pfennig DW, Sherman PW, Collins JP: Kin recognition and cannibalism in polyphenic salamanders, 225–232
Pusey AE, Packer C: Non-offspring nursing in social carnivores: minimizing the costs, 362–374

Rabenold KN. *See* Langen TA
Raspet R. *See* Forrest TG
Rätti O. *See* Höglund J
Reed JM. *See* Oring LW
Rhymer JM. *See* Stutchbury BJ
Richner H. *See* Oppliger A
Robb CC. *See* Runkle LS
Robertson RJ. *See* Dunn PO
Rosenheim JA. *See* Mangel M
Rowiński A. *See* Batorczak A
Runkle LS, Wells KD, Robb CC, Lance SL: Individual, nightly, and seasonal variation in calling behavior of the gray tree frog, *Hyla versicolor*: implications for energy expenditure, 318–325

Sabat AM: Costs and benefits of parental effort in a brood-guarding fish (*Ambloplites rupestris*, Centrarchidae), 195–201
Sæther SA. *See* Fiske P
St. Mary CM: Sex allocation in a simultaneous hermaphrodite, the blue-banded goby (*Lythrypnus dalli*): the effects of body size and behavioral gender and the consequences for reproduction, 304–313
Sandell M. *See* Smith HG
Santini G. *See* Chelazzi G
Schmid-Hempel P. *See* Ydenberg RC
Schmid-Hempel R. *See* Ydenberg RC
Schwagmeyer PL, Parker GA: Mate-quitting rules for male thirteen-lined ground squirrels, 142–150
Sherman PW. *See* Pfennig DW
Sherry DF. *See* Hampton RR
Simmons LW: Courtship role reversal in bush crickets: another role for parasites?, 259–266
Sklepkovych B. *See* Ekman J
Smith HG, Ottosson U, Sandell M: Intrasexual competition among polygynously mated female starlings (*Sturnus vulgaris*), 57–63
Stephens DW: Review of *An introduction to game-theoretic modelling,* by M Mesterton-Gibbons, 349
Stutchbury BJ, Rhymer JM, Morton ES: Extrapair paternity in hooded warblers, 384–392

Teather KL. *See* Leonard ML
Tegelström H. *See* Ekman J

Uetz GW, Hieber CS: Group size and predation risk in colonial web-building spiders: analysis of attack abatement mechanisms, 326–333

Valone TJ. *See* Giraldeau L-A
Vollrath F. *See* ap Rhisiart A

Waser PM (*see also* Creel SR), Creel SR, Lucas JR: Death and disappearance: estimating mortality risks associated with philopatry and dispersal, 135–141
Weatherhead PJ, Forbes MRL: Natal philopatry in passerine birds: genetic or ecological influences?, 426–433
Wedell N: Variation in nuptial gift quality in bush crickets (Orthoptera: Tettigoniidae), 418–425

Welham CVJ (*see also* Ydenberg RC): Flight speeds of migrating birds: a test of maximum range speed predictions from three aerodynamic equations, 1–8
Wells KD. *See* Runkle LS
Whittingham LA. *See* Dunn PO
Wisenden BD: Factors affecting mate desertion by males in free-ranging convict cichlids (*Cichlasoma nigrofasciatum*), 439–447
Wishart WD. *See* Festa-Bianchet M
Wolff JO: Reproductive success of solitarily and communally nesting white-footed mice and deer mice, 206–209
Ydenberg RC, Welham CVJ, Schmid-Hempel R, Schmid-Hempel P, Beauchamp G: Time and energy constraints and the relationships between currencies in foraging theory, 28–34
Yogo Y. *See* Kuwamura T